



UK e-Science Certification Authority
Certificate Policy and Certification Practices
Statement

Jens G Jensen

CCLRC

Rutherford Appleton Laboratory

30 October 2003

Contents

- 1 INTRODUCTION** **11**
- 1.1 Overview 11
 - 1.1.1 General definitions 11
- 1.2 Identification 15
- 1.3 Community and Applicability 16
 - 1.3.1 Certification authorities 16
 - 1.3.2 Registration authorities 16
 - 1.3.3 End entities (Subscribers) 16
 - 1.3.4 Applicability 16
- 1.4 Contact Details 17
 - 1.4.1 Specification administration organisation 17
 - 1.4.2 Contact person 17
 - 1.4.3 Person determining CPS suitability for the policy . . . 17

- 2 GENERAL PROVISIONS** **19**
- 2.1 Obligations 19
 - 2.1.1 CA obligations 19
 - 2.1.2 RA obligations 20
 - 2.1.3 Subscriber obligations 21
 - 2.1.4 Relying party obligations 21
 - 2.1.5 Repository obligations 22
- 2.2 Liability 22
 - 2.2.1 CA liability 22
 - 2.2.2 RA liability 22
- 2.3 Financial Responsibility 23

2.3.1	Indemnification by relying parties	23
2.3.2	Fiduciary relationships	23
2.3.3	Administrative processes	23
2.4	Interpretation and Enforcement	23
2.4.1	Governing law	23
2.4.2	Severability, survival, merger, notice	23
2.4.3	Dispute resolution procedures	23
2.5	Fees	24
2.5.1	Certificate issuance or renewal fees	24
2.5.2	Certificate access fees	24
2.5.3	Revocation or status information access fees	24
2.5.4	Fees for other services such as policy information	24
2.5.5	Refund policy	24
2.6	Publication and Repositories	24
2.6.1	Publication of CA information	24
2.6.2	Frequency of publication	25
2.6.3	Access controls	25
2.6.4	Repositories	25
2.7	Compliance Audit	25
2.7.1	Frequency of entity compliance audit	25
2.7.2	Identity/qualifications of auditor	26
2.7.3	Auditor's relationship to audited party	26
2.7.4	Topics covered by audit	26
2.7.5	Actions taken as a result of deficiency	26
2.7.6	Communication of results	26
2.8	Confidentiality	26
2.8.1	Types of information to be kept confidential	27
2.8.2	Types of information not considered confidential	27
2.8.3	Disclosure of certificate revocation/suspension information	27
2.8.4	Release to law enforcement officials	27
2.8.5	Release as part of civil discovery	27
2.8.6	Disclosure upon owner's request	27

2.8.7	Other information release circumstances	28
2.9	Intellectual Property Rights	28
3	IDENTIFICATION AND AUTHENTICATION	29
3.1	Initial Registration	29
3.1.1	Types of names	29
3.1.2	Need for names to be meaningful	30
3.1.3	Rules for interpreting various name forms	30
3.1.4	Uniqueness of names	31
3.1.5	Name claim dispute resolution procedure	31
3.1.6	Recognition, authentication and role of trademarks	31
3.1.7	Method to prove possession of private key	31
3.1.8	Authentication of organisation identity	31
3.1.9	Authentication of individual identity	31
3.2	Routine Re-key	32
3.3	Re-key After Revocation	33
3.4	Revocation Request	33
4	OPERATIONAL REQUIREMENTS	35
4.1	Certificate Application	35
4.2	Certificate Issuance	35
4.3	Certificate Acceptance	36
4.4	Certificate Suspension and Revocation	36
4.4.1	Circumstances for revocation	36
4.4.2	Who can request revocation	36
4.4.3	Procedure for revocation request	37
4.4.4	Revocation request grace period	37
4.4.5	Circumstances for suspension	37
4.4.6	Who can request suspension	37
4.4.7	Procedure for suspension request	38
4.4.8	Limits on suspension period	38
4.4.9	CRL issuance frequency	38
4.4.10	CRL checking requirements	38
4.4.11	On-line revocation/status checking availability	38

4.4.12	On-line revocation checking requirements	38
4.4.13	Other forms of revocation advertisements available . . .	38
4.4.14	Checking requirements for other forms of revocation advertisements	38
4.4.15	Special requirements re key compromise	39
4.5	Security Audit Procedures	39
4.5.1	Types of event recorded	39
4.5.2	Frequency of processing log	39
4.5.3	Retention period for audit log	39
4.5.4	Protection of audit log	39
4.5.5	Audit log backup procedures	39
4.5.6	Audit collection system (internal vs external)	40
4.5.7	Notification to event-causing subject	40
4.5.8	Vulnerability assessments	40
4.6	Records Archival	40
4.6.1	Types of event recorded	40
4.6.2	Retention period for archive	41
4.6.3	Protection of archive	41
4.6.4	Archive backup procedures	41
4.6.5	Requirements for time-stamping of records	41
4.6.6	Archive collection system (internal or external)	41
4.6.7	Procedures to obtain and verify archive information . . .	41
4.7	Key Changeover	41
4.8	Compromise and Disaster Recovery	41
4.8.1	Computing resources, software, and/or data are cor- rupted	42
4.8.2	Entity public key is revoked	42
4.8.3	Entity key is compromised	42
4.8.4	Secure facility after a natural or other type of disaster .	42
4.9	CA Termination	42
5	PHYSICAL, PROCEDURAL, AND PERSONNEL SECUR- RITY CONTROLS	45
5.1	Physical Controls	45

5.1.1	Site location and construction	45
5.1.2	Physical access	45
5.1.3	Power and air conditioning	45
5.1.4	Water exposures	46
5.1.5	Fire prevention and protection	46
5.1.6	Media storage	46
5.1.7	Waste disposal	46
5.1.8	Off-site backup	46
5.2	Procedural Controls	46
5.2.1	Trusted roles	46
5.2.2	Number of persons required per task	46
5.2.3	Identification and authentication for each role	46
5.3	Personnel Controls	47
5.3.1	Background, qualifications, experience, and clearance requirements	47
5.3.2	Background check procedures	47
5.3.3	Training requirements	48
5.3.4	Retraining frequency and requirements	48
5.3.5	Job rotation frequency and sequence	48
5.3.6	Sanctions for unauthorized actions	48
5.3.7	Contracting personnel requirements	48
5.3.8	Documentation supplied to personnel	48
6	TECHNICAL SECURITY CONTROLS	49
6.1	Key Pair Generation and Installation	49
6.1.1	Key pair generation	49
6.1.2	Private key delivery to entity	49
6.1.3	Public key delivery to certificate issuer	49
6.1.4	CA public key delivery to subscribers	49
6.1.5	Key sizes	50
6.1.6	Public key parameters generation	50
6.1.7	Parameter quality checking	50
6.1.8	Hardware/software key generation	50

6.1.9	Key usage purposes (as per X.509 v3 key usage field)	50
6.2	Private Key Protection	50
6.2.1	Standards for cryptographic module	50
6.2.2	Private key (n out of m) multi-person control	50
6.2.3	Private key escrow	51
6.2.4	Private key backup	51
6.2.5	Private key archival	51
6.2.6	Private key entry into cryptographic module	51
6.2.7	Method of activating private key	51
6.2.8	Method of deactivating private key	51
6.2.9	Method of destroying private key	51
6.3	Other Aspects of Key Pair Management	52
6.3.1	Public key archival	52
6.3.2	Usage periods for the public and private keys	52
6.4	Activation Data	52
6.4.1	Activation data generation and installation	52
6.4.2	Activation data protection	52
6.4.3	Other aspects of activation data	52
6.5	Computer Security Controls	52
6.5.1	Specific computer security technical requirements	52
6.5.2	Computer security rating	53
6.6	Life-Cycle Technical Controls	53
6.6.1	System development controls	53
6.6.2	Security management controls	53
6.6.3	Life cycle security ratings	53
6.7	Network Security Controls	53
6.8	Cryptographic Module Engineering Controls	53
7	CERTIFICATE AND CRL PROFILES	55
7.1	Certificate Profile	55
7.1.1	Version number	55
7.1.2	Certificate extensions	55
7.1.3	Algorithm object identifiers	57

<i>CONTENTS</i>	9
7.1.4 Name forms	57
7.1.5 Name constraints	58
7.1.6 Certificate policy Object Identifier	58
7.1.7 Usage of Policy Constraints extensions	58
7.1.8 Policy qualifier syntax and semantics	58
7.1.9 Processing semantics for the critical certificate policy .	59
7.2 CRL Profile	59
7.2.1 Version number	59
7.2.2 CRL and CRL Entry Extensions	59
8 SPECIFICATION ADMINISTRATION	61
8.1 Specification Change Procedures	61
8.2 Publication and Notification Policies	62
8.3 CPS Approval Procedures	62
A Revision History	63

1 Chapter 1

2 INTRODUCTION

3 This document describes the rules and procedures used by the UK e-Science
4 Certification Authority.

5 1.1 Overview

6 This document is structured according to RFC 2527, [CF99].

7 This document was issued on 30 October 2003 and took effect on 14
8 November 2003.

9 1.1.1 General definitions

10 The document makes use of the following terms:

Activation data	Data values, other than keys, that are required to operate cryptographic modules and that need to be protected (e.g., a PIN, a passphrase, or a manually-held key share)
-----------------	--

Authentication	<p>The process of establishing that individuals, organisations, or things are who or what they claim to be. In the context of a PKI, authentication can be the process of establishing that an individual or organisation applying for or seeking access to something under a certain name is, in fact, the proper individual or organisation. This process corresponds to the second process involved with identification, as shown in the definition of “identification” below. Authentication can also refer to a security service that provides assurances that individuals, organisations, or things are who or what they claim to be or that a message or other data originated from a specific individual, organisation, or device. Thus, it is said that a digital signature of a message authenticates the message’s sender.</p>
Certificate Policy (CP)	<p>A named set of rules that indicates the applicability of a certificate to a particular community and/or class of application with common security requirements. For example, a particular certificate policy might indicate applicability of a type of certificate to the authentication of electronic data interchange transactions.</p>
Certificate Revocation List (CRL)	<p>A time stamped list identifying revoked certificates which is signed by a CA and made freely available in a public repository.</p>
Certification Authority (CA)	<p>An authority trusted by one or more subscribers to create and assign public key certificates and to be responsible for them during their whole lifetime.</p>

Certification Practices Statement (CPS)	A statement of the practices, which a certification authority employs in issuing certificates.
CCLRC	Council for the Central Laboratory of the Research Councils. CCLRC is an independent, non-departmental public body of the Office of Science and Technology, part of the Department of Trade and Industry (UK).
GSI	Grid Security Infrastructure. In this document, GSI refers to the Globus GSI as defined in [Gloa] or [Glob].
GridPP Collaboration	UK Particle Physics collaboration funded by PPARC.
Identification	The process of establishing the identity of an individual or organisation, i.e., to show that an individual or organisation is a specific individual or organisation. In the context of a PKI, identification refers to two processes: (1) establishing that a given name of an individual or organisation corresponds to a real-world identity of an individual or organisation, and (2) establishing that an individual or organisation applying for or seeking access to something under that name is, in fact, the named individual or organisation. A person seeking identification may be a certificate applicant, an applicant for employment in a trusted position within a PKI participant, or a person seeking access to a network or software application, such as a CA administrator seeking access to CA systems.

Issuing Certification Authority (Issuing CA)	In the context of a particular certificate, the issuing CA is the CA that issued the certificate.
Policy Qualifier	Policy-dependent information that may accompany a CP identifier in an X.509 certificate. Such information can include a pointer to the URL of the applicable CPS.
Registration Authority (RA)	An individual or group of people appointed by an organisation that is responsible for Identification and Authentication of certificate subscribers, but that does not sign or issue certificates (i.e., an RA is delegated certain tasks on behalf of a CA).
Relying Party	A recipient of a certificate who acts in reliance on that certificate and/or digital signatures verified using that certificate.
Repository	A storage area, usually on-line, which contains lists of issued certificates, CRLs, policy documents, etc.
Signed Email	In this document, “Signed Email” means an email that satisfies all of the following: (1) it is <i>not encrypted</i> , (2) it has a valid signature, and (3) the certificate corresponding to the private key that generated the signature is a valid e-Science CA certificate, and (4) the Common Name of the certificate bears a reasonable relation to the sender address of the email.
SSL	Secure Sockets Layer. In this document, “SSL” refers to the SSL protocol version 2 or 3, or TLS version 1.0 (RFC2246).

Strong Pass-phrase	In this document, “Strong Pass-phrase” refers to a pass phrase protecting a private key and satisfying the following: it is at least 16 characters long, and contains upper and lower case letters. It is recommended that the pass-phrase contains some non-letter characters in the US-ASCII range (0x20-0x7e) and no letters outside this range.
Subscriber	A person or server to whom a digital certificate is issued.
Validation	The process of identification of certificate applicants. “Validation” is a subset of “Identification” and refers to identification in the context of establishing the identity of certificate applicants.
Virtual Organisation (VO)	An approved programme activity (e.g. pilot project or regional centre).

11 1.2 Identification

Document title	UK e-Science Certification Authority Certificate Policy and Certification Practices Statement
Document version	1.0
Document date	30 October 2003
Effective from	14 November 2003
Document OID	1.3.6.1.4.1.11439.1.1.1.1.4

12 The document OID is {iso(1) identified-organization(3) dod(6) internet(1)
13 private(4) enterprise(1) cclrc(11439) 1 escience(1) ca(1) cps(1)
14 4}.

15 See also revision history in Appendix A.

16 **1.3 Community and Applicability**

17 **1.3.1 Certification authorities**

18 The e-Science CA self-certifies its own certificate. It does not issue certificates
19 to subordinate CAs.

20 **1.3.2 Registration authorities**

21 A Registration Authority consists of an RA Manager and one or more RA
22 Operators. The RA Manager is appointed within the physical organisation
23 where (s)he is employed, and is in turn responsible for appointing RA Op-
24 erators and to ensure that they operate within the procedure defined by the
25 CPS. The RA Operators are responsible for verifying Subscribers' identities
26 and approving their certificate requests. RA Operators do not issue certifi-
27 cates.

28 **1.3.3 End entities (Subscribers)**

29 The e-Science CA issues certificates for e-Science activities funded by the UK
30 Research Councils. The CA will issue personal, server and service certificates.

31 **1.3.4 Applicability**

32 Certificates issued are suitable for the following applications:

- 33 • SSL or GSI client (all certificates);
- 34 • SSL or GSI server (server and service certificates only);
- 35 • GSI service (service certificates only);
- 36 • Generating GSI proxies (all certificates);

37 In addition, it is permissible to use certificates for email signing. Using certifi-
38 cates for encryption is not explicitly prohibited but the CA does not support
39 this purpose.

40 Notwithstanding the above, using certificates for purposes contrary to
41 UK law is explicitly prohibited.

42 **1.4 Contact Details**

43 **1.4.1 Specification administration organisation**

44 The e-Science CA is managed by the UK Grid Support Centre, [GSC].

45 **1.4.2 Contact person**

46 The CA manager (contact person for questions related to this policy docu-
47 ment) is:

48 Dr Jens G Jensen
49 Rutherford Appleton Laboratory
50 Chilton
51 Didcot
52 Oxon
53 OX11 0QX
54 UK
55
56 Phone: +44 1 235 446104
57 Fax: +44 1 235 445945
58 Email: ca-manager@grid-support.ac.uk

59 **1.4.3 Person determining CPS suitability for the pol- 60 icsy**

61 The person mentioned in 1.4.2.

62 Chapter 2

63 GENERAL PROVISIONS

64 2.1 Obligations

65 2.1.1 CA obligations

66 The CA must:

- 67 • publish a CP and a CPS, structured according to RFC2527, [CF99];
- 68 • ensure that services, operations and infrastructure conform to this
69 CP/CPS;
- 70 • issue certificates to entitled subscribers based on validated requests
71 from Registration Authorities;
- 72 • notify the Subscriber of the issuing of the certificate;
- 73 • publish a list of the issued certificates;
- 74 • accept revocation requests according to the procedures outlined in this
75 document;
- 76 • authenticate entities requesting the revocation of a certificate;
- 77 • generate and publish Certificate Revocation Lists (CRL) as described
78 in the CPS;
- 79 • produce a detailed statement of procedure conformant to this CPS and
80 make them available to RA staff.

81 **2.1.2 RA obligations**

82 The RA Manager must:

- 83 • agree the name of the RA (the values of the OU and L in the DN) with
84 the CA Manager;
- 85 • define the community of Subscribers for which the RA will approve
86 requests, and any requirements in addition to those imposed by this
87 CP/CPS;
- 88 • ensure that (s)he is appointed according to the procedures described in
89 this CP/CPS;
- 90 • appoint one or more RA Operators according to the procedures de-
91 scribed in this CP/CPS;
- 92 • ensure that the Operator(s) operate according to the procedures pro-
93 vided by the CA;
- 94 • in particular, ensure that the RA stores all logs and additional Sub-
95 scription information securely, and is released only according to the con-
96 ditions described in section 2.8;
- 97 • provide access to the logs when requested by the CA.

98 The RA Operator must:

- 99 • adhere to all Subscriber's Obligations (2.1.3)
- 100 • accept certification requests from entitled entities;
- 101 • verify the identity of the Subscriber and keep a log of how each Sub-
102 scription was identified;
- 103 • check that additional location-specific requirements (if any) are fulfilled
104 (an RA may have more stringent requirements for verifying a request
105 than the minimum requirements set out in this policy document - in
106 that case, the RA's web page should list these requirements);
- 107 • provide information to the Subscriber on how to properly maintain a
108 certificate and the corresponding private key;
- 109 • check that the information provided in the certificate request is correct
110 as described in section 3.1.9;

- 111 • sign Subscriber's request when and only when all conditions for issuing
112 a certificate to the Subscriber are fulfilled;
- 113 • Request revocation of a Subscriber's certificate when and only when
114 the RA Operator is aware that (1) the circumstances for revocation
115 (4.4.1) are fulfilled, and (2) revocation has not already been requested.

116 **2.1.3 Subscriber obligations**

117 Subscribers must:

- 118 • read and adhere to the procedures published in this document;
- 119 • generate a key pair using a trustworthy method;
- 120 • use the certificate for the permitted purposes only;
- 121 • authorise the processing and conservation of personal data (as required
122 under the Data Protection Act 1998 [DPA00]);
- 123 • take every precaution to prevent any loss, disclosure or unauthorised
124 access to or use of the private key associated with the certificate, in-
125 cluding:
 - 126 – (personal certificates) selecting a Strong Pass-phrase;
 - 127 – (personal certificates) protecting the pass-phrase from others;
 - 128 – notifying immediately the e-Science CA and any relying parties if
129 the private key is lost or compromised;
 - 130 – requesting revocation if the Subscriber is no longer entitled to a
131 certificate, or if information in the certificate becomes wrong or
132 inaccurate.

133 **2.1.4 Relying party obligations**

134 A Relying Party should accept the Subscriber's certificate for authentication
135 purposes if:

- 136 • the Relying Party is familiar with the CA's CP and the CPS that
137 generated the certificate before drawing any conclusion on trust of the
138 Subscriber's certificate; and

- 139 • the reliance is reasonable and in good faith in light of all circumstances
140 known to the Relying Party at the time of reliance; and
- 141 • the certificate is used for permitted purposes only; and
- 142 • the Relying Party checked the status of the certificate to their own
143 satisfaction prior to reliance.

144 **2.1.5 Repository obligations**

145 The e-Science CA will publish on its web server [CAW] certificates as soon
146 as they are issued, and CRLs according to 4.4.9.

147 **2.2 Liability**

148 **2.2.1 CA liability**

149 The e-Science CA guarantees to issue certificates only to subscribers iden-
150 tified by requests received from RAs via secure routes. The e-Science CA
151 will revoke a certificate only in response to an authenticated request from
152 the Subscriber, or the RA which approved the Subscriber's request, or if
153 it has itself reasonable proof that circumstances for revocation are fulfilled.
154 The e-Science CA does not warrant its procedures, nor takes responsibility
155 for problems arising from its operation or the use made of the certificates
156 it provides and gives no guarantees about the security or suitability of the
157 service.

158 The CA only guarantees to verify Subscriber's identities according to pro-
159 cedures described in this document. In particular, certificates are guaranteed
160 only to reasonably identify the Subscriber (see section 3.1.2).

161 The CA does not accept any liability for financial loss, or loss arising
162 from incidental damage or impairment, resulting from its operation. No
163 other liability, implicit or explicit, is accepted.

164 **2.2.2 RA liability**

165 It is the RA's responsibility to authenticate the identity of subscribers re-
166 questing certificates, according to the practices described in this document.
167 It is the RA's responsibility to request revocation of a certificate if the RA
168 is aware that circumstances for revocation are satisfied.

169 **2.3 Financial Responsibility**

170 No financial responsibility is accepted for certificates issued under this policy.

171 **2.3.1 Indemnification by relying parties**

172 No stipulation.

173 **2.3.2 Fiduciary relationships**

174 No stipulation.

175 **2.3.3 Administrative processes**

176 No stipulation.

177 **2.4 Interpretation and Enforcement**

178 **2.4.1 Governing law**

179 Interpretation of this policy is according to UK Law.

180 **2.4.2 Severability, survival, merger, notice**

181 In the event that the CA ceases operation, all Subscribers, sponsoring organ-
182 isations, RAs, and Relying Parties will be promptly notified of the termina-
183 tion.

184 In addition, all CAs with which cross-certification agreements are current
185 at the time of termination will be promptly informed of the termination.

186 All certificates issued by the CA that reference this Certificate Policy will
187 be revoked no later than the time of termination.

188 **2.4.3 Dispute resolution procedures**

189 No stipulation.

190 **2.5 Fees**

191 **2.5.1 Certificate issuance or renewal fees**

192 No fees are charged for the certification service and therefore there are no
193 financial encumbrances.

194 **2.5.2 Certificate access fees**

195 No fees are charged for certificate access.

196 **2.5.3 Revocation or status information access fees**

197 No fees are charged for access to revocation lists or other certificate status
198 information.

199 **2.5.4 Fees for other services such as policy information**

200 No fees are charged for access to CP and CPS or other CA status informa-
201 tion. The CA reserves the right to charge a fee for the release of personal
202 information, as described in section 2.8.6.

203 **2.5.5 Refund policy**

204 No stipulation.

205 **2.6 Publication and Repositories**

206 **2.6.1 Publication of CA information**

207 The e-Science CA operates an on-line repository [CAW] that contains:

- 208 • The e-Science CA's certificate;
- 209 • Certificates issued;
- 210 • Certificate Revocation Lists;

- 211 • A copy of the most recent version of this CP/CPS and all previous
212 versions since 0.7;
- 213 • Other relevant information.

214 **2.6.2 Frequency of publication**

- 215 • Certificates will be published as soon as they are issued.
- 216 • CRLs will be published as described in 4.4.9.
- 217 • This CP/CPS will be published whenever it is updated.

218 **2.6.3 Access controls**

219 The online repository is maintained on best effort basis and is available sub-
220 stantially on a 24 hours per day, 7 days per week basis, subject to reasonable
221 scheduled maintenance. Outside the period 08:00-17:00 Monday-Friday it
222 may run unattended “at risk”.

223 The e-Science CA does not impose any access control on its CP/CPS, its
224 certificate, issued certificates or CRLs.

225 In the future, the e-Science CA may impose access controls on issued
226 certificates, their status information and CRLs at its discretion. In the event
227 that access controls are implemented, advanced warning of not less than 30
228 days will be given via the CA’s web site.

229 **2.6.4 Repositories**

230 A repository for publishing information detailed in section 2.6.1 is at [CAW].

231 **2.7 Compliance Audit**

232 **2.7.1 Frequency of entity compliance audit**

233 A self-assessment by CCLRC, that the operation is according to this policy,
234 will be carried out at least once a year.

235 In addition, the e-Science CA will accept at least one external Compliance
236 Audit per year when requested by a Relying Party. The entire cost of such
237 an audit must be borne by the requestor.

238 **2.7.2 Identity/qualifications of auditor**

239 No stipulation.

240 **2.7.3 Auditor's relationship to audited party**

241 An external audit can be performed by any UK government department or
242 UK academic institution.

243 **2.7.4 Topics covered by audit**

244 The audit will verify that the services provided by the CA comply with the
245 latest approved version of the CP/CPS.

246 **2.7.5 Actions taken as a result of deficiency**

247 In case of a deficiency, the CA Manager will announce the steps that will be
248 taken to remedy the deficiency. This announcement will include a timetable.

249 **2.7.6 Communication of results**

250 The CA Manager will make the result publicly available on the CA web site
251 with as many details of any deficiency as (s)he considers necessary.

252 **2.8 Confidentiality**

253 The e-Science CA collects a subscriber's name and e-mail address. The sub-
254 scriber's name as defined in 3.1.2-3, but not e-mail address, is included in
255 the issued personal certificate (server certificates include email address). In
256 addition, the RA keeps a copy of the photo id that was used by the Sub-
257 scriber to verify his/her identity. By making an application for a certificate
258 a Subscriber is deemed to have consented to their personal data being stored
259 and processed, subject to the Data Protection Act 1998.

260 Additionally, for RA Managers and Operators, personal contact informa-
261 tion is kept by the CA (work telephone number, work address).

262 Under no circumstances will the e-Science CA have access to the private
263 keys of any Subscriber to whom it issues a certificate.

264 **2.8.1 Types of information to be kept confidential**

265 The subscriber's e-mail address will be kept confidential (except in the case
266 of server and service certificates when the email address is included in the
267 certificate). The information provided by the Subscriber to verify his/her
268 identity will be kept confidential.

269 **2.8.2 Types of information not considered confidential**

270 Information included in issued certificates and CRLs is not considered con-
271 fidential. RA contact information is not considered confidential since this
272 information is generally available from the web pages of the RA's employer.

273 Statistics regarding certificates issuance and revocation contain no per-
274 sonal information and is not considered confidential.

275 **2.8.3 Disclosure of certificate revocation/suspension in-** 276 **formation**

277 The CA may disclose the time of revocation of a certificate but will not
278 disclose the reason for revocation. The CA may disclose revocation statistics.

279 **2.8.4 Release to law enforcement officials**

280 The CA will not disclose confidential information to any third party unless
281 authorised to do so by the Subscriber or when required by law enforcement
282 officials who exhibit regular warrant.

283 **2.8.5 Release as part of civil discovery**

284 No stipulation.

285 **2.8.6 Disclosure upon owner's request**

286 Disclosure upon owner's request is done according to the Data Protection Act
287 [DPA00], Section 7. Specifically, information is released to the Subscriber
288 if the CA has received a Signed Email from the Subscriber requesting the
289 information. The CA charges no fee for this.

290 The CA will recognise requests in writing for the release of personal infor-
291 mation from a Subscriber provided the Subscriber can be properly authen-
292 ticated. The CA reserves the right to charge a reasonable fee for the service
293 in this case.

294 **2.8.7 Other information release circumstances**

295 The CA recognises no circumstances for release of personal information other
296 than those described in 2.8.3, 2.8.4, 2.8.5, and 2.8.6.

297 **2.9 Intellectual Property Rights**

298 The e-Science CA does not claim any IPR on certificates which it has issued.

299 Parts of this document are inspired by or copied from (in no particular
300 order) [CFS⁺03], [BG01], [Eur00], [Tru], [NCS99], [FBC99], [Gen01], and
301 [Cec01].

302 Anybody may freely copy from any version of the UK e-Science CA's Cer-
303 tificate Policy and Certification Practices Statement provided they include
304 an acknowledgment of the source.

305 This document typeset with L^AT_EX.

306 Chapter 3

307 IDENTIFICATION AND 308 AUTHENTICATION

309 3.1 Initial Registration

310 3.1.1 Types of names

311 The Subject Name is of the X.500 name type. All parts of the name are
312 encoded as `PrintableStrings`, except for the `Email` entry (when applicable)
313 which is encoded as `IA5String`.

314 The name has one of the following forms:

Person	Name of the Subscriber. The name must include at least one given name in full and the full surname. Rôles are not accepted.
Server	Server fully qualified domain name. The name must be in lower case. IP addresses are not accepted.
Service	As server except the name is prefixed with a service name as defined in 7.1.5.

315
316 Common Names (CNs) must be encoded as `PrintableStrings` ([WCHK97],[HKYR95]).

317 The maximal length of the CN is 64 characters for all types of certificates.

318 The character set allowed for Common Names in personal certificates is

319 ' ', '0' - '9', 'a' - 'z', 'A' - 'Z', '(', ')', '-',

320 that is, Space (blank), decimal digits, lower and upper case US ASCII letters,
 321 left and right round brackets, and hyphen. For host and service certificates,
 322 the character '.' (full stop, or period) is also allowed in the Common Name.
 323 For service certificates, the character '/' is also allowed in the Common Name.

324 Email address in server and service certificates must be structured accord-
 325 ing to RFC822. The maximal length of an email address is 128 characters.
 326 Email addresses must be encoded as `IA5String` but must not contain control
 327 characters or delete.

328 See also 7.1.4.

329 **3.1.2 Need for names to be meaningful**

330 The Subject Name in a certificate must have a reasonable association with
 331 the authenticated name of the Subscriber. Subscribers must choose a repre-
 332 sentation of their names in the permitted character set (see 3.1.1).

333 The name must not refer to a rôle. Subscribers can neither be anonymous
 334 nor pseudonymous.

335 There is one exception to this rule (other than the root certificate), namely
 336 the certificate with the DN

337 `/C=UK/O=eScience/OU=Authority/L=CLRC/CN=ca-operator`

338 This certificate is used only within the CA by CA Operators for CA main-
 339 tenance, i.e. to allow CA Operators the same access to the public system as
 340 RA Operators. This certificate is also used to sign software deployed by the
 341 CA. This certificate is never used for any other purpose; in particular, it is
 342 never used to access any resources other than the CA's public machine.

343 **3.1.3 Rules for interpreting various name forms**

344 No stipulation.

345 **3.1.4 Uniqueness of names**

346 The Distinguished Name must be unique for each Subscriber certified by
347 the e-Science CA. If the name presented by the Subscriber is not unique,
348 the CA will ask the Subscriber to resubmit the request with some variation
349 to the common name to ensure uniqueness. In this policy two names are
350 considered identical if they differ only in case or punctuation or whitespace.
351 In other words, case, punctuation and whitespace must not be used to dis-
352 tinguish names. Certificates must apply to unique individuals or resources.
353 Subscribers must not share certificates.

354 **3.1.5 Name claim dispute resolution procedure**

355 No stipulation.

356 **3.1.6 Recognition, authentication and role of trade-** 357 **marks**

358 No stipulation.

359 **3.1.7 Method to prove possession of private key**

360 No stipulation.

361 **3.1.8 Authentication of organisation identity**

362 Only the names of the organisations employing RA staff appear in certificates.
363 Authentication of Organisation Identity is part of the process for appointing
364 an RA. See section 5.3.

365 **3.1.9 Authentication of individual identity**

366 These are the minimum checks mandated by this Policy; individual RAs may
367 impose more stringent checks.

368 In either case the Subscriber selects which RA is to carry out the identi-
369 fication process.

Person	The Subscriber goes to the selected RA Operator bringing acceptable photo ID.
Server	The requestor must <i>either</i> go to the RA Operator in person and prove his/her identity as for personal certificates, and confirm that (s)he is responsible for the resources mentioned in the request, <i>or</i> send Signed Email to the RA Operator confirming the request and confirming that the requestor is responsible for the resources in question.
Service	As server certificates (the person responsible for a host is regarded as the person responsible for all services running on that host).

370 For personal certificates we allow in exceptional cases an “External” ver-
371 ification for Subscribers who are not able to follow the above procedure for
372 personal certificates: The Subscriber can send an email confirming the re-
373 quest to the CA. The request is accepted by the CA if the email is signed by
374 a certificate from another CA whose certificates are accepted for this purpose
375 by the CA Manager. The list of such CAs will be decided by the CA Manager
376 and is available on the CA’s web site [CAW]. In this case, the CN of the
377 certificate used to sign the email and the CN of the certificate request must
378 be identical. Subscribers should not use this procedure unless there is no al-
379 ternative. Subscribers identified through this procedure will have OU=CLRC,
380 L=External as RA identifier in their certificates.

381 Certificate requests verified by the CA have OU=Authority, L=CLRC as
382 RA identifier.

383 3.2 Routine Re-key

384 No stipulation.

385 **3.3 Re-key After Revocation**

386 There is no re-key after revocation. Subscribers must apply for a new cer-
387 tificate.

388 **3.4 Revocation Request**

389 Anyone can make certificate revocation requests by sending email to the CA.
390 However, the CA will not revoke a certificate unless the request is authenti-
391 cated, or it can be verified independently that there is reason to revoke the
392 certificate. See section 4.4.

393 Authenticated certificate revocation requests may be made by

- 394 • The RA using:
 - 395 – Signed Email to the CA Manager;
 - 396 – Other secure method, as specified in the RA Operator's procedure.
- 397 • The Subscriber by:
 - 398 – Mailing the CA manager directly by Signed Email.

399 Chapter 4

400 OPERATIONAL 401 REQUIREMENTS

402 4.1 Certificate Application

403 Procedures are different if the Subscriber is a person or a server. In every
404 case the Subscriber has to generate his/her own key pair. The minimum
405 key length is 1024 bits. Personal certificates must not be shared; server
406 certificates must be linked to a single network entity. Maximal lifetime of a
407 certificate is one year. The default validity period is one year.

408 Certificate requests are made via the CA's web interface at [CAW].

409 Requests for renewal are made by submitting a request to the CA's web
410 interface via a mutually authenticated SSL connection.

411 4.2 Certificate Issuance

412 The e-Science CA issues the certificate if, and only if, the authentication of
413 the Subscriber is successful. This authentication must be done by an RA or
414 by the CA itself.

415 In the case of renewal, the authentication is considered successful if the
416 DN of the new request matches that of the certificate used by the client when
417 submitting the request. The request needs RA approval to verify that the
418 client is still entitled to a certificate, but the RA need not verify the client's
419 identity.

420 The Subscriber can download the certificate using the CA's web interface.

421 Once a certificate request has been approved by the RA or the CA, the
422 certificate is normally issued by the CA within one working day. The CA
423 adds the new certificate to the published list of certificates issued.

424 If the authentication is unsuccessful, the certificate is not issued and an
425 e-mail with the reason is sent to the Subscriber. In particular, the CA or RA
426 may delete a request if the Subscriber has made no attempt to authenticate
427 him- or herself within 30 days of submitting the request.

428 All issued certificates are issued under the CP/CPS valid at the time of
429 issuance.

430 **4.3 Certificate Acceptance**

431 No stipulation.

432 **4.4 Certificate Suspension and Revocation**

433 **4.4.1 Circumstances for revocation**

434 A certificate will be revoked when the information it contains or the implied
435 assertions it carries are known or suspected to be incorrect or compromised.
436 This includes situations where:

- 437 • The CA is informed that the Subscriber has ceased to be a member of
438 or associated with a UK e-Science program or activity;
- 439 • the Subscriber's private key is lost or suspected to be compromised;
- 440 • the information in the subscriber's certificate is wrong or inaccurate,
441 or suspected to be wrong or inaccurate;
- 442 • the Subscriber violates his/her obligations.

443 **4.4.2 Who can request revocation**

444 A certificate revocation can be requested by:

- 445 • The Registration Authority which authenticated the holder of the cer-
446 tificate;

- 447 • the holder of the certificate;
- 448 • any person presenting proof of knowledge that the subscriber's private
- 449 key has been compromised or that the subscriber's data have changed.

450 **4.4.3 Procedure for revocation request**

451 A revocation request is accepted if:

- 452 • The revocation request is signed with the key corresponding to certifi-
- 453 cate whose revocation is requested; or,
- 454 • The revocation request is signed by the RA who originally approved
- 455 the certificate request.

456 Any other revocation request is accepted only if the entity requesting the

457 revocation is properly authenticated.

458 **4.4.4 Revocation request grace period**

459 If the Subscriber discovers that his/her private key is compromised, (s)he

460 must request revocation:

- 461 • immediately using the online revocation facilities, if (s)he still has ac-
- 462 cess to the private key;
- 463 • otherwise by going to the RA as soon as possible and ask the RA to
- 464 request revocation.

465 The Subscriber should request revocation within one working day if any of

466 the other circumstances for revocation are fulfilled.

467 The revocation will take place within one working day of the CA deter-

468 mining the need for revocation.

469 **4.4.5 Circumstances for suspension**

470 The CA does not offer suspension services.

471 **4.4.6 Who can request suspension**

472 No stipulation.

473 **4.4.7 Procedure for suspension request**

474 No stipulation.

475 **4.4.8 Limits on suspension period**

476 No stipulation.

477 **4.4.9 CRL issuance frequency**

478 CRLs are updated and re-issued within one hour after every certificate revo-
479 cation or at least every week.

480 **4.4.10 CRL checking requirements**

481 No stipulation.

482 **4.4.11 On-line revocation/status checking availability**

483 The latest CRL is always available from the CA web site.

484 **4.4.12 On-line revocation checking requirements**

485 No stipulation.

486 **4.4.13 Other forms of revocation advertisements avail-
487 able**

488 No stipulation.

489 **4.4.14 Checking requirements for other forms of revo-
490 cation advertisements**

491 No stipulation.

492 **4.4.15 Special requirements re key compromise**

493 If the Subscriber's private key is compromised, the Subscriber must ensure
494 that the corresponding certificate is revoked as soon as possible (see 4.4.4),
495 and that all Relying Parties that rely on the certificate in question are in-
496 formed of the compromise.

497 **4.5 Security Audit Procedures**

498 **4.5.1 Types of event recorded**

499 The following events are recorded:

- 500 • certification requests;
- 501 • issued certificates;
- 502 • requests for revocation;
- 503 • issued CRLs;
- 504 • login/logout/reboot of the signing machine.

505 **4.5.2 Frequency of processing log**

506 No stipulation.

507 **4.5.3 Retention period for audit log**

508 The minimum retention period is 3 years.

509 **4.5.4 Protection of audit log**

510 No stipulation.

511 **4.5.5 Audit log backup procedures**

512 No stipulation.

513 4.5.6 Audit collection system (internal vs external)

514 No stipulation.

515 4.5.7 Notification to event-causing subject

516 No stipulation.

517 4.5.8 Vulnerability assessments

518 No stipulation.

519 4.6 Records Archival**520 4.6.1 Types of event recorded**

521 The following events are recorded and archived by the CA:

- 522 • certification requests;
- 523 • issued certificates;
- 524 • requests for revocation;
- 525 • issued CRLs;
- 526 • all e-mail messages received by the CA (not the confirmation messages
527 sent to the Subscribers);
- 528 • all e-mail messages sent by the CA;
- 529 • all documents appointing CA and RA Staff.

530 Each RA must log the following:

- 531 • for each approved request, how it was approved;
- 532 • for each rejected request, why it was rejected;
- 533 • for each approved revocation request, the reason for revocation;
- 534 • for each rejected revocation request, the reason for revocation and the
535 reason the request was rejected.

536 **4.6.2 Retention period for archive**

537 The minimum retention period is 3 years.

538 **4.6.3 Protection of archive**

539 No stipulation.

540 **4.6.4 Archive backup procedures**

541 No stipulation.

542 **4.6.5 Requirements for time-stamping of records**

543 No stipulation.

544 **4.6.6 Archive collection system (internal or external)**

545 No stipulation.

546 **4.6.7 Procedures to obtain and verify archive information**
547

548 No stipulation.

549 **4.7 Key Changeover**

550 The CA will generate a new root key pair one year (the maximal lifetime of
551 a Subscriber's certificate) before the expiry of the CA certificate. In the final
552 year the CA's old certificate will be available for validation purposes only,
553 whereas new certificates and CRLs will be signed with the new CA key.

554 **4.8 Compromise and Disaster Recovery**

555 If the CA's private key is (or is suspected to be) compromised, the CA will:

- 556 • inform the Registration Authorities, Subscribers, Relying Parties, and
557 cross-certifying CAs of which the CA is aware;
- 558 • terminate the certificates and CRL distribution services for certificates
559 and CRLs issued using the compromised key.

560 If an RA Operator's private key is compromised or suspected to be compro-
561 mised, the RA Operator or Manager must inform the CA and request the
562 revocation of the RA Operator's certificate.

563 **4.8.1 Computing resources, software, and/or data are** 564 **corrupted**

565 The CA will take best effort precautions to enable recovery.

566 **4.8.2 Entity public key is revoked**

567 No stipulation.

568 **4.8.3 Entity key is compromised**

569 No stipulation.

570 **4.8.4 Secure facility after a natural or other type of** 571 **disaster**

572 No stipulation.

573 **4.9 CA Termination**

574 Before the e-Science CA terminates its services, it will:

- 575 • inform the Registration Authorities, Subscribers, Relying Parties, and
576 cross-certifying CAs of which the CA is aware;
- 577 • make information of its termination widely available;
- 578 • stop issuing certificates.

579 An advance notice of no less than 60 days will be given in the case of nor-
580 mal (scheduled) termination. The CA Manager at the time of termination
581 shall be responsible for the subsequent archival of all records as required in
582 section 4.6.2.

583 The CA Manager may decide to let the CA issue CRLs only during the
584 last year (i.e. the maximal lifetime of a Subscriber certificate) before the
585 actual termination; this will allow Subscribers' certificates to be used until
586 they expire. In that case notice of termination is given no less than one year
587 and 60 days prior to the actual termination, i.e. no less than 60 days before
588 the CA ceases to issue new certificates.

589 Chapter 5

590 PHYSICAL, PROCEDURAL, 591 AND PERSONNEL 592 SECURITY CONTROLS

593 5.1 Physical Controls

594 5.1.1 Site location and construction

595 No stipulation.

596 5.1.2 Physical access

597 The CA operates in a controlled environment, where access is restricted to
598 authorised people and logged. The signing machine is kept locked in a safe
599 and the private key is locked in a different safe.

600 5.1.3 Power and air conditioning

601 The online machine operates in an air conditioned environment and is not
602 rebooted or power-cycled except for essential maintenance.

603 The signing machine is switched off between signing operations. The machine
604 operates in an air conditioned environment.

605 **5.1.4 Water exposures**

606 No stipulation.

607 **5.1.5 Fire prevention and protection**

608 No stipulation.

609 **5.1.6 Media storage**

610 No stipulation.

611 **5.1.7 Waste disposal**

612 No stipulation.

613 **5.1.8 Off-site backup**

614 No stipulation.

615 **5.2 Procedural Controls**

616 **5.2.1 Trusted roles**

617 No stipulation.

618 **5.2.2 Number of persons required per task**

619 No stipulation.

620 **5.2.3 Identification and authentication for each role**

621 No stipulation.

5.3 Personnel Controls

5.3.1 Background, qualifications, experience, and clearance requirements

- The CA Manager must be a paid employee of CCLRC and shall be appointed in writing by the CCLRC Director of e-Science who may at his/her discretion revoke the appointment with no prior notice given.
- The CA Operators must be paid employees of CCLRC and will be appointed by the CA Manager.
- The RA Manager must be a paid employee of the Physical Organisation hosting that Registration Authority and must be appointed by an Authority responsible for a Department within that physical organisation. The RA Manager must be a member of that Department. The OU field of the RA Operator's certificate identifies the Physical Organisation, and the L field identifies the Department where the Manager is appointed. The Authority will make a declaration to the CA Manager in writing on the organisation's headed note paper. The information that must be contained in this letter is defined by the CA Manager.
- The RA Operator must be a paid employee of the site hosting that Registration Authority and will be appointed by the RA Manager concerned. The RA Manager will make a declaration to the CA Manager in writing on the organisation's headed note paper. If the RA Operator is appointed in a different department from the RA Manager then the letter must be countersigned by an authority for the department in which the Operator is appointed. The information that must be contained in this letter is defined by the CA Manager. RA Operators must have certificates and must adhere also to the Subscribers' Obligations.
- An RA Manager may appoint himself/herself as an RA Operator.
- An RA Manager may appoint any number of RA Operators.

5.3.2 Background check procedures

No stipulation.

652 **5.3.3 Training requirements**

653 No stipulation.

654 **5.3.4 Retraining frequency and requirements**

655 No stipulation.

656 **5.3.5 Job rotation frequency and sequence**

657 No stipulation.

658 **5.3.6 Sanctions for unauthorized actions**

659 In the event of unauthorised actions, abuse of authority or unauthorised use
660 of entity systems by the CA or RA Operators, the CA manager may revoke
661 the privileges concerned.

662 **5.3.7 Contracting personnel requirements**

663 No stipulation.

664 **5.3.8 Documentation supplied to personnel**

- 665 ● It is the responsibility of the CA Manager to provide the CA Operators
666 with a copy of the “e-Science CA Operator’s Procedure”.
- 667 ● It is the responsibility of the CA Manager to provide the RA Manager
668 with a copy of the “e-Science RA Manager’s Procedure”.
- 669 ● It is the responsibility of the RA Manager to provide the RA Operator
670 with a copy of the “e-Science RA Operator’s Procedure”.

671 Chapter 6

672 TECHNICAL SECURITY 673 CONTROLS

674 6.1 Key Pair Generation and Installation

675 6.1.1 Key pair generation

676 Each entity should take reasonable steps to ensure that the key pair is gener-
677 ated with a sufficiently high entropy (i.e. corresponding to the key length.)

678 6.1.2 Private key delivery to entity

679 Each Subscriber must generate his/her own key pair. The CA does not
680 generate private keys for its subscribers.

681 6.1.3 Public key delivery to certificate issuer

682 Subscribers' public keys are delivered to the issuing CA by the HTTP pro-
683 tocol via the CA's web interface.

684 6.1.4 CA public key delivery to subscribers

685 The CA certificate (containing its public key) is delivered to subscribers by
686 online transaction from the CA web server.

687 **6.1.5 Key sizes**

688 Keys of length less than 1024 bits are not accepted. The CA key is of length
689 2048 bits.

690 **6.1.6 Public key parameters generation**

691 No stipulation.

692 **6.1.7 Parameter quality checking**

693 No stipulation.

694 **6.1.8 Hardware/software key generation**

695 No stipulation.

696 **6.1.9 Key usage purposes (as per X.509 v3 key usage 697 field)**

698 Keys may be used for authentication, non-repudiation, data encryption, mes-
699 sage integrity and session key establishment.

700 The CA's private key is the only key that can be used for signing certificates
701 and CRLs.

702 The certificate KeyUsage field is used in accordance with RFC3280, [HPFS02].

703 **6.2 Private Key Protection**

704 **6.2.1 Standards for cryptographic module**

705 No stipulation.

706 **6.2.2 Private key (n out of m) multi-person control**

707 Subscriber's keys must not be under (n out of m) multi-person control. The
708 CA's private key is not under (n out of m) multi-person control.

709 Backup copies of the CA's private key is under (2 out of 3) multi-person
710 control (as well as locked in a safe as described in 6.2.4).

711 **6.2.3 Private key escrow**

712 Private keys must not be escrowed.

713 **6.2.4 Private key backup**

714 All backup copies of the CA private key are kept at least as secure as the
715 one used for signing (i.e. encrypted, and on media locked in a safe). The
716 pass-phrase for activating the backup is locked in a different safe from the
717 one containing the encrypted key.

718 **6.2.5 Private key archival**

719 No stipulation.

720 **6.2.6 Private key entry into cryptographic module**

721 No stipulation.

722 **6.2.7 Method of activating private key**

723 The CA private key is activated by a pass-phrase which, for emergencies, is
724 kept in a sealed envelope in a safe. The safe which contains the pass-phrase
725 does not contain any copy of the private key.

726 **6.2.8 Method of deactivating private key**

727 No stipulation.

728 **6.2.9 Method of destroying private key**

729 No stipulation.

730 **6.3 Other Aspects of Key Pair Management**

731 **6.3.1 Public key archival**

732 The CA archives all issued certificates.

733 **6.3.2 Usage periods for the public and private keys**

734 Subscribers' certificates have a validity period of one year. The CA certificate
735 has a validity period of five years.

736 **6.4 Activation Data**

737 The CA private key is protected by a Strong Pass-phrase.

738 **6.4.1 Activation data generation and installation**

739 No stipulation.

740 **6.4.2 Activation data protection**

741 All CA Operators know the Activation Data for the CA private key. No
742 other person knows the Activation Data. However, the Activation Data for
743 the CA private key is also kept in a sealed envelope in a safe in a separate
744 location from the safes containing the private key and its backup copies.

745 **6.4.3 Other aspects of activation data**

746 No stipulation.

747 **6.5 Computer Security Controls**

748 **6.5.1 Specific computer security technical requirements**

749 The CA server includes the following functionality:

- 750 • operating systems are maintained at a high level of security by applying
751 in a timely manner all recommended and applicable security patches;
- 752 • monitoring is done to detect unauthorised software changes;
- 753 • services are reduced to the bare minimum.

754 **6.5.2 Computer security rating**

755 No stipulation.

756 **6.6 Life-Cycle Technical Controls**

757 **6.6.1 System development controls**

758 System development is done on mirror machines containing the same software
759 but no production data.

760 **6.6.2 Security management controls**

761 No stipulation.

762 **6.6.3 Life cycle security ratings**

763 No stipulation.

764 **6.7 Network Security Controls**

765 Certificates are generated on a machine not connected to any kind of network,
766 located in a secure environment and managed by a suitably trained person.
767 The public machine is protected by a suitably configured firewall.

768 **6.8 Cryptographic Module Engineering Con-** 769 **controls**

770 No stipulation.

771 Chapter 7

772 CERTIFICATE AND CRL 773 PROFILES

774 7.1 Certificate Profile

775 7.1.1 Version number

776 X.509.v3

777 7.1.2 Certificate extensions

778 Server and service certificates have the same extensions.

Basic Constraints	<i>critical</i> , CA:FALSE
Key Usage	<i>critical</i> , Digital Signature, Non Repudiation, Key Encryption, Key Agreement
Subject Key Identifier	hash
Authority Key Identifier	keyid, issuer
Subject Alternative Name (server/service only)	Server's Fully Qualified Domain Name

Issuer Name	Alternative	CA email
CRL Points	Distribution	[CAC]
Netscape Cert Type		Personal: SSL Client, S/MIME Server, service: SSL Client, SSL Server
Netscape Comment		“UK e-Science User Certificate”
Netscape CA Revocation URL		[CAC]
Netscape Revocation URL		[CAC]
Netscape URL	Renewal	http://ca-renew.grid-support.ac.uk/renew.html

779 CA certificate extensions.

Basic Constraints		<i>critical</i> CA:TRUE
Key Usage		keyCertSign, cRLSign
Subject Key Identifier		hash
Authority Key Identifier		keyid, issuer
Subject Name	Alternative	CA email
Issuer Name	Alternative	CA email

CRL Distribution Points	[CAC]
Netscape Cert Type	SSL CA, S/MIME CA

780 7.1.3 Algorithm object identifiers

781 No stipulation.

782 7.1.4 Name forms

783 Issuer (as seen with OpenSSL versions 0.9.6 and earlier):

784 /C=UK/O=eScience/OU=Authority/CN=CA/Email=ca-operator@grid-
785 support.ac.uk

786 Issuer as seen with OpenSSL version 0.9.7:

787 /C=UK/O=eScience/OU=Authority/CN=CA/emailAddress=ca-
788 operator@grid-support.ac.uk

789 Subject: The subject field contains the Distinguished Name of the entity
790 with the following attributes:

Country Name	UK
Organisation Name	eScience
Organizational Unit	Name of physical organisation hosting the RA approving the Subject's request
Locality	Location within the organisation where the RA is appointed.
CommonName	Name and surname (personal and object-signing certificates) or DNS name (server certificates). Grid service certificates are prefixed by the service name (see 7.1.5) by / (e.g. CN=ldap/ldap.rl.ac.uk).

SubjectAltName	FQDN of server
----------------	----------------

791 **7.1.5 Name constraints**

792 The email address in server and service certificates must be that of a person
793 responsible for the server in question. Server (host) certificates should not
794 have “host” as a service, i.e. they should have `CN=host.univ.ac.uk` and not
795 `CN=host/host.univ.ac.uk`.

796 The CA will issue certificates for a given service if and only if:

- 797 • the service has been defined by IANA [IAN]; or
- 798 • The CA Manager has approved the service.

799 It is the responsibility of the CA Manager to define the non-IANA services
800 allowed by the CA. For each service, the CA Manager must provide

- 801 • the name of the service,
- 802 • the default port number,
- 803 • a short description of the service,
- 804 • a reference URI.

805 The CA Manager must ensure that services are unique in name.

806 **7.1.6 Certificate policy Object Identifier**

807 No stipulation.

808 **7.1.7 Usage of Policy Constraints extensions**

809 No stipulation.

810 **7.1.8 Policy qualifier syntax and semantics**

811 No stipulation.

812 **7.1.9 Processing semantics for the critical certificate**
813 **policy**

814 No stipulation.

815 **7.2 CRL Profile**

816 **7.2.1 Version number**

817 X.509.v1: Version 1 is required for compatibility with Netscape Communi-
818 cator.

819 **7.2.2 CRL and CRL Entry Extensions**

820 No stipulation.

821 Chapter 8

822 SPECIFICATION 823 ADMINISTRATION

824 8.1 Specification Change Procedures

825 We distinguish between different types of modifications to the CP/CPS:

826 *Editorial updates:* editorial changes to the CPS, including replacing fields
827 with “No stipulation”, as long as they do not affect procedure or compromise
828 security. These changes are announced on the CA web site but no advance
829 warning will be given.

830 *Procedure updates:* minor changes to the CPS that do not compromise secu-
831 rity in any way. E.g. changes to the verification or issuing procedure that
832 do not affect security. Subscribers and relying parties will not be warned of
833 such changes in advance but RAs will be given at least one week’s notice of
834 changes that affect their procedures.

835 *Technical updates:* e.g. changes to the extensions in the issued certificates.
836 Such changes will be announced on the CA web site and on appropriate
837 mailing lists at least 14 days in advance.

838 *Security updates:* changes that affect the security, e.g. changes to the minimal
839 requirements for verifying requests, or changing the key sizes. These changes
840 will be announced at least 30 days in advance on the CA web site, and to
841 appropriate mailing lists, including the DataGrid CA mailing list. However,
842 urgent security fixes may be carried out without advance warning and then
843 documented in the CPS. These will be announced in the same manner.

844 *Policy updates:* e.g. changes to the namespace, or introducing subordinate
845 CAs. A proposal will be announced at least 30 days in advance on the CA

846 web site and appropriate mailing lists.

847 *Termination:* A scheduled termination of the CA is announced on the CA
848 web site and appropriate mailing lists at least 60 days in advance.

849 **8.2 Publication and Notification Policies**

850 This CP/CPS is available at [CAW]. All changes are announced on the CA
851 web site and a changelog is available. In addition, changes are announced to
852 appropriate mailing lists, depending on the type of change, as described in
853 section 8.1.

854 There is a mailing list for RA Managers and Operators. Only subscribers
855 can post to the mailing list. Only subscribers can read the archives.

856 **8.3 CPS Approval Procedures**

857 No stipulation.

858 Appendix A

859 Revision History

Version	OID	Date	Comments
0.1		4 September 2001	Initial unapproved release
0.3		30 January 2002	Andrew's changes
0.4		13 March 2002	Jens' changes
0.5		April/May 2002	Tim's changes
0.6		28 May 2002	draft version
0.7	1.1	17 July 2002	final draft
0.8	1.2	10 October 2002	Removed identification by telephone, made specification of host verification more precise, added missing RFC2527 entries.
0.9	1.3	31 March 2003	Update to request extensions.
1.0	1.4	30 October 2003	Describe renewal. Tightened up several parts, including Applicability, personal information stored, etc.
1.1	1.5		More about the data protection act.

860

⁸⁶¹ The OID in the table is the final two digits of the actual OID, as defined in
⁸⁶² section 1.2.

863 Bibliography

- 864 [BG01] Randy Butler and Tony Genovese. Global grid forum certificate
865 policy model. [http://www.gridforum.org/2_SEC/pdf/Draft-
GGF-CP-06.pdf](http://www.gridforum.org/2_SEC/pdf/Draft-
866 GGF-CP-06.pdf), September 2001.
- 867 [CAC] CA Certificate Revocation List. [http://ca.grid-support.ac.uk/-
cgi-bin/importCRL](http://ca.grid-support.ac.uk/-
868 cgi-bin/importCRL).
- 869 [CAW] CA web site. <http://www.grid-support.ac.uk/ca/>.
- 870 [Cec01] R. Cecchini. INFN CA CP/CPS. [http://security.fi.infn.it/CA/-
CPS/CPS-1.0.pdf](http://security.fi.infn.it/CA/-
871 CPS/CPS-1.0.pdf), December 2001. Version 1.0.
- 872 [CF99] S. Chokani and W. Ford. Internet X.509 Infrastruc-
873 ture Certificate Policy and Certification Practices Framework.
874 <http://www.rfc-editor.org/rfc/rfc2527.txt>, March 1999.
- 875 [CFS+03] S. Chokhani, W. Ford, R. Sabett, C. Merrill, and S. Wu. Internet
876 x.509 public key infrastructure certificate policy and certification
877 practices framework. [http://www.ietf.org/internet-drafts/draft-
ietf-pkix-ipki-new-rfc2527-02.txt](http://www.ietf.org/internet-drafts/draft-
878 ietf-pkix-ipki-new-rfc2527-02.txt), April 2003.
- 879 [DPA00] Data protection act 1998. [http://www.legislation.hmso.gov.uk/-
acts/acts1998/19980029.htm](http://www.legislation.hmso.gov.uk/-
880 acts/acts1998/19980029.htm), March 2000.
- 881 [Eur00] EuroPKI Certificate Policy. [http://www.europki.org/ca/root/-
cps/en_cp.pdf](http://www.europki.org/ca/root/-
882 cps/en_cp.pdf), October 2000. Version 1.1.
- 883 [FBC99] X.509 Certificate Policy For The Federal Bridge Certification Au-
884 thority. Available from <http://www.cio.gov/fbca/lib/index.htm>,
885 December 1999. Version 1.0.
- 886 [Gen01] Tony Genovese. DOE Science Grid CA CP/CPS.
887 <http://www.doegrids.org/Docs/CP-CPS.pdf>, December 2001.
888 Version 1.1.

- 889 [Gloa] Globus. Grid security infrastructure for globus toolkit 2.
890 <http://www.globus.org/security/v2.0/index.html>.
- 891 [Glob] Globus. Grid security infrastructure for globus toolkit 3.
892 <http://www.globus.org/security/GSI3/index.html>.
- 893 [GSC] UK Grid Support Centre. <http://www.grid-support.ac.uk/>.
- 894 [HKYR95] T. Howes, S. Kille, W. Yeung, and C. Robbins. The String
895 Representation of Standard Attribute Syntaxes. <http://www.rfc-editor.org/rfc/rfc1778.txt>, March 1995.
896
- 897 [HPFS02] R. Housley, W. Polk, W. Ford, and D. Solo. Internet x.509 public
898 key infrastructure certificate and certificate revocation list (crl)
899 profile. <http://www.rfc-editor.org/rfc/rfc3280.txt>, April 2002.
- 900 [IAN] Port numbers. <http://www.iana.org/assignments/port-numbers>.
- 901 [NCS99] National Computational Science Alliance Certificate Pol-
902 icy. [http://archive.ncsa.uiuc.edu/SCD/Alliance/GridSecurity/-](http://archive.ncsa.uiuc.edu/SCD/Alliance/GridSecurity/-Certificates/AllianceCP9.1.html)
903 [Certificates/AllianceCP9.1.html](http://archive.ncsa.uiuc.edu/SCD/Alliance/GridSecurity/-Certificates/AllianceCP9.1.html), June 1999.
- 904 [Tru] TrustID Certificate Policy. [http://www.digsigtrust.com/-](http://www.digsigtrust.com/-certificates/policy/tsindex.html)
905 [certificates/policy/tsindex.html](http://www.digsigtrust.com/-certificates/policy/tsindex.html).
- 906 [WCHK97] M. Wahl, A. Coulbeck, T. Howes, and S. Kille. Lightweight
907 Directory Access Protocol (v3): Attribute Syntax Definitions.
908 <http://www.rfc-editor.org/rfc/rfc2252.txt>, December 1997.